



Universal Personal Authenticator

# FireID Version 2.0.1 Release Notes





1. INTRODUCTION.....	1
2. ENHANCEMENTS.....	1
2.1 Authentication Server Redesign.....	1
2.2 Authentication Server Server Logs Enhancements.....	2
2.2 Authentication Server Log Levels Configuration .....	3
2.3 Provisioning Server Customisation.....	3
3. RESOLVED ISSUES.....	5

## 1. Introduction


This document describes the changes and enhancements to the FireID Mobile Authentication System( MAS) software version 2.0.1.

## 2. Enhancements


### 2.1 Authentication Server Redesign

Issue	Area	Subject
n/a	Authentication Server	Redesign

The Authentication Server has been redesigned and is now more user-friendly and now includes a Setup Wizard to help administrators setup the server, as shown in the screenshot below.




The screenshot displays the FireID User Management interface. At the top left is the FireID logo. Below it is a navigation bar with four tabs: 'User Management' (active), 'Audit Trails', 'System Configuration', and 'Logout root'. Underneath the navigation bar is a sub-header with links: 'View Users', 'Create New User', and 'Import Users'. The main content area contains a form for user management with the following fields: 'First Name', 'Last Name', 'Email', and 'Cellphone'. Below these is a section titled 'Account Information' which includes a 'Username' field, 'Enabled' and 'Locked' checkboxes, and a 'Search Users' button. At the bottom of the interface, there is a message 'There is no data to display.' and a set of control buttons: 'Select All', 'Select All On Page', 'Clear Selection', a dropdown menu, and 'Do'.



## 2.2 Authentication Server Server Logs Enhancements


Issue	Area	Subject
n/a	Authentication Server	Server Logs Enhancement

Clients can now download the Configuration and Log files of the Authentication Server. These files may be useful to diagnose and trace problems in case of a server malfunction.




## 2.2 Authentication Server Log Levels Configuration

Issue	Area	Subject
n/a	Authentication Server	Log Levels Configuration
Clients can now configure the Log Levels of the Authentication Server.		



## 2.3 Provisioning Server Customisation

Issue	Area	Subject
n/a	Provisioning Server	Customisation
Clients can now customize the colour scheme, branding, and redirect page of the Provisioning Server to reflect their organizational branding, as shown in the screenshots below.		



## FireID Auth Server Management

**License Info**


Deployment Logs

Set Icon

Set Login Page

**Branding**

Set branding for authentication server : fizzpop



**Primary Headers**

Secondary Headers


This is what the **branding** on your deployment tutorials will look like.

**Corporate Logo**  
The logo should be a vector image or a large bitmap.

No file chosen

**Pick Primary Color**  
Color in the # HEX format (E.g. #000000)

**Pick Secondary Color**  
Color in the # HEX format (E.g. #000000)



## FireID Auth Server Management

**License Info**

Deployment Logs

Set Icon




Set Login Page

**Branding**

These are the icons that your FireID users will see on their token application.

Users will see an icon which is adapted to the screen resolution of their phone.

Click on the images to change the individual icons.

Icon Size	Icon Image
small	
medium	
large	

**Set a Master Image**


You may upload a single master image, which will be scaled to produce the required icons.

This should be a square vector image.

[Click here to set a master icon](#)

**Delete all icons**

[Click here to reset your icon to the FireID default](#)



## FireID Auth Server Management

**License Info**

Deployment Logs

Set Icon

Set Login Page

**Branding**

Set the login page for your users : fizzpop

Users will be redirected to this page once their FireID token has been successfully installed.

Please enter the url for your login page:

Please use full URL format, e.g. <http://www.example.com/login/>

### 3. Resolved Issues

Issue	Area	Subject
201	Authentication Server	Sensible defaults are not selected by default
206	Authentication Server	The system does not differentiate between Numeric & Text characters
208	Authentication Server	Users are unable to test the server without specifying a Proxy
217	Authentication Server	Users are able to delete the user profile with which they are currently logged on
220	Authentication Server	The Support link does not work in the About page
228	Authentication Server	Entering too many characters in the Data Source Domain field causes an error
229	Authentication Server	Entering too many characters in the Radius field causes an error
230	Authentication Server	Radius authentication does not work
232	Authentication Server	Users are unable to delete users from the system
233	Authentication Server	Users obtain an error when testing the proxy settings with a random IP number
234	Authentication Server	Users are able to test the proxy settings without specifying a Proxy name
243	Authentication Server	The Active Directory passthrough does not work