

FireID

Authentication Server Release Notes

Version 2.5.1



www.fireid.com



TABLE OF CONTENTS

1. INTRODUCTION	1
2. NEW FEATURES	1
2.1 LINKS TO DOCUMENTATION AND SOAP API EXAMPLE CODE	1
2.2 ACTIVE/ACTIVE HIGH AVAILABILITY ON SOAP API.....	1
3. KNOWN ISSUES	2

Authentication Server Release Notes

VERSION 2.5.1

1. Introduction

This document describes the changes and enhancements to the FireID Authentication Server Version 2.5.1.

2. New Features

2.1 Links to Documentation and SOAP API Example Code

Issue	Area	Subject
US1067	User Interface	Links to Documentation and SOAP API Example Code

Users may now access all relevant documentation for the Authentication Server via a web link on the user interface. The example code for the SOAP API is also included on this link.

2.2 Active/Active High Availability on SOAP API

Issue	Area	Subject
US956 & US1068	SOAP API	Active/Active High Availability on SOAP API

The authentication server may now be configured for Active/Active High Availability via the SOAP API. This allows systems administrators to setup two authentication servers to use the same database and to use these authentication servers interchangeably or in a load-balanced configuration.

This enhancement includes both the authentication and the user management mechanisms.

3. Known Issues

The JDBC user import facility does not work in this version of the Authentication Server. Kindly contact FireID support in order to setup a database user import.



WWW.FIREID.COM

INFO@FIREID.COM

0861 FIRE ID (3473 43)

2ND FLOOR

BLOCK C, OCTO PLACE

ELECTRON ROAD

TECHNOPARK

STELLENBOSCH 7600

WESTERN CAPE

SOUTH AFRICA